

Trade name : Revision date : Print date : ESD-Mischpulver EP/PE 5653 (SORTE 5653) 20.12.2018 20.02.2020

Version (Revision) :

7.0.0 (6.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

ESD-Mischpulver EP/PE 5653 (SORTE 5653)

 1.2 Relevant identified uses of the substance or mixture and uses advised against Powder coating. Intended purpose see technical data sheet.
 Relevant identified uses

Product Categories [PC]

PC9 - Coatings and paints, fillers, putties, thinners

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Brillux GmbH & Co. KG, Industrielack www.brillux-industrielack.de

Street : Otto-Hahn-Straße 14

Postal code/city: D-59423 Unna

Telephone: +49 2303 8805-0

Telefax : +49 2303 8805-119

Information contact : E-mail address of the competent person for safety data sheets: sdb@brillux-industrielack.de

1.4 Emergency telephone number

Giftinformationszentrum-Nord (poisons centre), consultation in german and english Telephone: +49 551 19 24 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] None

None

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. A safety data sheet is not required for this product under Article 31 of REACH. This safety data sheet has been created on a voluntary basis.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements

0 Do not breathe dust/fume/gas/mist/vapours/spray.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients None

SECTION 4: First aid measures



Trade name :			
Revision date :			
Print date :			

ESD-Mischpulver EP/PE 5653 (SORTE 5653) 20.12.2018 20.02.2020

Version (Revision) :

7.0.0 (6.0.0)

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Change contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Wash immediately with: Water and soap Do not wash with: Solvents/Thinner

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. No direct artificial respiration to be given by first aider.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder, alcohol resistant foam, carbon dioxide (CO_2), water spray. The fire fighting for manuell and selfacting powder coating systems conformable BGI 764 the extingshent agent CO_2 can be used by movable tool and fight fire extingquishing system. For using other extingshent agent than CO_2 the effectiveness must be proved.

Unsuitable extinguishing media

Full water jet, inert gas with high pressure.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO_2) and pyrolysis products, toxic.

5.3 Advice for firefighters

Special protective equipment for firefighters

Use suitable breathing apparatus.

5.4 Additional information

Burning produces heavy smoke. Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. See protective measures under point 7 and 8. Avoid dust formation. Do not inhale product dusts.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Take up dust-free and set down dust-free. Use approved industrial vacuum cleaner for removal. (Vacuum cleaner



Trade name : Revision date : Print date : ESD-Mischpulver EP/PE 5653 (SORTE 5653) 20.12.2018 20.02.2020

7.0.0 (6.0.0)

construction B1, appropriate to suck up combustible dust). Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Avoid: Generation/formation of dust, dust deposits, inhalation of dust/particles. Only use the material in places where open light, fire and other flammable sources can be kept away. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Measures to prevent fire

Dust can form an explosive mixture with air. Take precautionary measures against static discharges. Wear anti-static footwear and clothing Use only antistatically equipped (spark-free) tools.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Floors should be impervious and easy to clean.

Hints on joint storage

Storage class (TRGS 510): 11

Do not store together with

Strong acid, strong alkali, oxidising agent, food and feedingstuffs.

Further information on storage conditions

Do not store at temperatures above : 25 °C

Protect against : Humidity.

7.3 Specific end use(s)

Powder coating. Intended purpose see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Suitable eye protection Dust protection eye glasses Remark

Note DGUV-Rule 112-192.

Skin protection

Hand protection

Suitable gloves type : Disposable gloves. Gloves with long cuffs

Required properties : dust-tight. antistatic.

Remark : After washing hands replace lost skin fat by fat containing skin creams. Note DGUV-Rule 112-195. Note TRGS 401.

Body protection

Personel should wear protective clothings and all parts of the body should be washed after contact. Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder is avoided.

Recommended material : Natural fibres (e.g. cotton), heat-resistant synthetic fibres.

Page : 3 / 7



Trade name : Revision date : Print date : ESD-Mischpulver EP/PE 5653 (SORTE 5653) 20.12.2018 20.02.2020

Version (Revision) :

7.0.0 (6.0.0)

Remark : Note DGUV-Rule 112-189. Note TRGS 401.

Respiratory protection

Respiratory protection necessary at: insufficient exhaust

Suitable respiratory protection apparatus

Use breathing filter P2 (particle).

European Committee for Standardization (CEN) standards EN 136, 140 and 405 provide respirator masks and EN 149 and 143 provide filter recommendations.

Remark

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Note TRGS 402.

General health and safety measures

Used working clothes should not be worn outside the work area.

Occupational exposure controls

Technical measures to prevent exposure

Technical measures and the application of suitable work processes have priority over personal protection equipment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Powder (1-150 µm)

Colour : According to product identification.

Odour

Poor, characteristic.				
Safety relevant basis da	ta			
Melting point/melting range :		>	50	°C
Decomposition temperature :		>	250	°C
Flash point :			not applicable	
Ignition temperature :		>	450	°C
Lower explosion limit :		approx.	50 - 70	g/m³
Upper explosion limit :			No data available	
Vapour pressure :	(50 °C)		not applicable	
Density :	(20 °C)		1,2 - 1,7	g/cm ³
Water solubility :	(20 °C)		insoluble	
pH :			No data available	
log P O/W :			not relevant	
Viscosity :	(23 °C)		not applicable	
Solid content :			100	Wt %
Odour threshold :			not relevant	
Relative vapour density :	(20 °C)		not applicable	
Vapourisation rate :			not applicable	
Flammable solids :	Not highly flammable.			
Oxidising solids :	Not oxidising.			

9.2 Other information

The physical specifications are approximate values and refer to the used safety relevant component(s).

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).



7.0.0 (6.0.0)

Version (Revision) :

 Trade name :
 ESD-N

 Revision date :
 20.12

 Print date :
 20.02

ESD-Mischpulver EP/PE 5653 (SORTE 5653) 20.12.2018 20.02.2020

10.3	Possibility of hazardou	us reactions
	No information available.	
104	Conditions to avoid	
	No information available.	
10 F		
10.5	Incompatible material	IS
	No information available.	
10.6	Hazardous decomposi	•
	Does not decompose when us	ed for intended uses.
SEC	TION 11: Toxicological	information
11.1	Information on toxico	logical effects
	Acute effects	
	Acute oral toxicity	
	Parameter :	ATEmix calculated
	Exposure route :	Oral
	Effective dose :	not relevant
	Acute dermal toxicity	
	Parameter :	ATEmix calculated
	Exposure route :	Dermal
	Effective dose :	not relevant
	Acute inhalation toxicity	
	Parameter :	ATEmix calculated
	Exposure route :	Inhalation (dust/mist)
	Effective dose :	not relevant
11.3		the physical, chemical and toxicological characteristics
	In case of skin contact	
	Powder coatings can cause l	ocalised skin irritation in folds of the skin or in contact with tight clothing.
~ ~ ~		
SEC	TION 12: Ecological inf	ormation
12.1	Toxicity	
	No information available.	
12.2	Persistence and degra	dability
	Abiotic degradation	
	Mechanical separation in a su	uitable sewage plant is possible.
	Biodegradation	
	-	red stability the product is poorly biodegradable.
123	Bioaccumulative pote	
12.5	No information available.	illai
12.4	Mobility in soil	
	No information available.	
12.5	Results of PBT and vP	
	The substances in the mixture	e do not meet the PBT/vPvB criteria according to REACH, annex XIII.
126		
1210	Other adverse effects	
1210		
	Other adverse effects No information available.	gical information
	Other adverse effects	gical information
	Other adverse effects No information available. Additional ecotoxicolo Additional information	gical information



Trade name : Revision date : Print date : ESD-Mischpulver EP/PE 5653 (SORTE 5653) 20.12.2018 20.02.2020

Version (Revision) :

7.0.0 (6.0.0)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Dispose according to legislation.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

EWC-Code: 08 02 01.

Waste treatment options

Appropriate disposal / Package

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

Note sections 7 and 8.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

- 14.4 Packing group No dangerous good in sense of these transport regulations.
- 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Other regulations (EU)

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National regulations

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to AwSV **Other regulations, restrictions and prohibition regulations**

Note TRGS 001. Note TRGS 400.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information



Trade name :	ESD-Mischpulver EP/PE 5653 (SORTE 5653)	
Revision date :	20.12.2018	Version (Revisi
Print date :	20.02.2020	

sion): 7.0.0 (6.0.0)

16.1 Indication of changes

02. Classification of the substance or mixture \cdot 02. Label elements \cdot 02. Special rules for supplemental label elements for certain mixtures \cdot 15. Water hazard class (WGK)

16.2 Abbreviations and acronyms

TRGS: German Technical Rule for Hazardous Substances. BGR(I): Rule (Information) from the german employers liability insurance association. DGUV: German Statutory Accident Insurance. AwSV: Ordinance on plants for the handling of substances hazardous to water. VCI: German chemical industry association. EWC: European Waste Catalogue.

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

None

16.6 Training advice

16.7 Additional information

None

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.